



LIGHTING SOLUTIONS



With the introduction of Lighting Solutions, DB Link has started a new era for LED enthusiasts. We develop and manufacture our products to withstand the elements associated with the rigorous outdoors. We stand behind our newly created LED technology and cutting edge design.





LED Light Bar Highlights 4
LED Light Bars
Curved LED Light Bars
LED Spot / Flood Lights
LED Bar Specifications
LED Single Row Extreme Light Bars
LED Single Row Light Bars
Marine LED Lights
LED Surface Mount Flood Lights
LED Work Lights
RGB LED Lighting
RGB Dual Row RGB Light Bars
RGB LED Light Bar Accessories
LED Light Lens Covers
LED Bar Mount Brackets 30
LED Light Bar Accessories
LED Light Rolls41
LED Light Strip Accessories
LED Strobe Light Module
LED Under Car Kit
LED Motorcycle Strip Kit44
LED Modules
LED Ghost Light











LED Light Beam Patterns







Combination Spot / Flood Lighting Pattern Light Bar

- High Power CREE LED Light bar
- Combination Spot / Flood Lighting Pattern
- IP67 Element Rating
- High Output CREE LED's
- Black Extruded Aluminum Chassis









MODEL	LED DESCRIPTION	WATTS	LEDS	SIZE	M. CARTON
DBLB14C	16 Spot / 8 Flood	72	24	14"	6
DBLB22C	32 Spot / 8 Flood	120	40	22"	6
DBLB32C	44 Spot / 16 Flood	180	60	32"	4
DBLB42C	64 Spot / 16 Flood	240	80	42"	4
DBLB50C	72 Spot / 24 Flood	280	96	50"	4



CX CURVED OFF-ROAD L.E.D. LIGHT BARS

Side View


Our CX Curved Off-Road L.E.D. Light Bars

mimic the radius contour of most windshields and front bumpers found on ATV, UTV, trucks and SUVs for a seamless integration. Designed with a curved chassis and narrow beam LED lens, the CX Light Bars focus on long range distances with a wider light dispersion allowing them to illuminate everything in and around the forward path









Spot / Flood Lighting Pattern Curved Light Bar

- High Power CREE LED Light bar
- Combination Spot / Flood Lighting Pattern
- IP67 Element Rating
- High Output CREE LED's
- Black Extruded Aluminum Chassis









MODEL	LED DESCRIPTION	WATTS	LEDS	SIZE	M. CARTON
DBLB22CX	32 Spot / 8 Flood	120	40	22"	6
DBLB32CX	44 Spot / 16 Flood	180	60	32"	4
DBLB42CX	64 Spot / 16 Flood	240	80	42"	4
DBLB50CX	72 Spot / 24 Flood	288	96	50"	4



WORK LIGHTS







3 WATT LEDS

8" LED LIGHTS









IP67 Element Rating • High Output CREE LED's • Black Extruded Aluminum Chassis • Shockproof Electronics • 10v-30v DC Operating Voltage • Shatterproof Polycarbonate Lens • 36 Watts

MODEL	LED DESCRIPTION	SOLD AS	LEDS	SIZE	M. CARTON
DBLB8F	Flood Light	Single	12	8"	6
DBLB8S	Spot Light	Single	12	8"	6
DBLB8C	4 Spot / 8 Flood	Single	12	8"	6



DBLB8C-K: Sold as pair

MODEL	DESCRIPTION	SOLD IN	LEDS	SIZE	M. CARTON
DBLB8C-K	Spot/Flood Light kit	Pairs	12	8"	6

Sold: in Pairs



















DBSM4F-K: Sold as pair













IP67 Element Rating • Output CREE LED's • Black Extruded Aluminum Chassis • Shockproof Electronics • 10v-30v DC Operating Voltage • Shatterproof Polycarbonate Lens • 12 Watts

MODEL	DESCRIPTION	SOLD IN	LEDS	SIZE	M. CARTON
DBSM4S-K	Spot Surface Mount	Pairs	4	4"	8
DBSM4F-K	Flood Surface Mount	Pairs	4	4"	8



LED LIGHT BAR SPECIFICATIONS



DB Link Model	Beam Pattern	Weight (LBS)	Output Watts 24V	Amp Draw 24V
DBSM4S-K	Spot	1.9	26.30W	24V/1.096A
DBSM4F-K	Flood	1.9	26.30W	24V/1.096A
DBLB8C-K	Combo	3.4	53W	24V/2.208A
DBLB8C	Combo	1.5	26.9W	24V/1.121A
DBLB8S	Spot	1.5	26.9W	24V/1.121A
DBLB8F	Flood	1.5	26.9W	24V/1.121A
DBLB14C	Combo	2.3	56.68W	24V/2.362A
DBLB22C	Combo	3.3	90.98W	24V/3.791A
DBLB32C	Combo	4.6	139.20W	24V/5.800A
DBLB42C	Combo	5.9	170.40W	24V/7.100A
DBLB50C	Combo	7.2	206.88W	24V/8.620A
DBLB22CX	Combo	3.4	90.98W	24V/3.791A
DBLB32CX	Combo	4.3	139.20W	24V/5.800A
DBLB42CX	Combo	6	170.40W	24V/7.100A
DBLB50CX	Combo	7.2	206.88W	24V/8.620A
DBLSR12C	Combo	2.5	50.4W	24V/2.1A
DBLSR22C	Combo	3.5	84W	24V/3.5A
DBLSR32C	Combo	9.5	117.6W	24V/4.9A
DBLSR42C	Combo	12.2	168.W	24V/7A





Output Watts 12V	Amp Draw 12V	Total LEDs	Raw Lumens	Harness
26.6W	12V/2.217A	8	1080	DBLHD1
26.6W	12V/2.217A	8	1080	DBLHD1
51.5W	12V/4.292A	24	5280	DBLHD1
28.56W	12V/2.380A	12	2640	DBLHD1
28.56W	12V/2.380A	12	2640	DBLHD1
28.56W	12V/2.380A	12	2640	DBLHD1
50.53W	12V/4.211A	24	5280	DBLHD1
93.48W	12V/7.790A	40	8800	DBLHD1
146.4W	12V/12.200A	60	13200	DBLHD2
178.80W	12V/14.900A	80	17600	DBLHD2
215.16W	12V/17.930A	96	21120	DBLHD2
93.48W	12V/7.790A	40	8800	DBLHD1
146.4W	12V/12.200A	60	13200	DBLHD2
178.8W	12V/14.900A	80	17600	DBLHD2
215.16W	12V/17.930A	96	21120	DBLHD2
51.12W	12V/4.26A	6	5400	DBLHD1
85.2W	12V/7.1A	12	10800	DBLHD1
118.8W	12V/9.9A	18	16200	DBLHD2
170.4W	12V/14.2A	24	21600	DBLHD2



Spot/Flood Lighting Pattern Single Row Bars

- High Power LED Light bar
- Combination Spot / Flood Lighting Pattern
- IP 67 Element Rating
- High Output 3 Watt OSRAM LED's
- Black Extruded Aluminum Chassis












MODEL	LED DESCRIPTION	WATTS	LEDS	SIZE	M. CARTON
DBSRX5.5S	Spot	3	3	5.5"	12
DBSRX9S	Spot	3	6	9"	12
DBSRX20.5C	Combo Spot/Flood	3	15	20.5"	6
DBSRX32C	Combo Spot/Flood	3	24	32"	6
DBSRX39.5C	Combo Spot/Flood	3	30	39.5"	6
DBSRX51C	Combo Spot/Flood	3	39	51"	4



Spot/Flood Lighting Pattern Single Row Bar

- High Power LED Light bar
- Combination Spot / Flood Lighting Pattern
- IP 67 Element Rating
- ■10 Watt High Output CREE LED's
- Black Extruded Aluminum Chassis











MODEL	LED DESCRIPTION	WATTS	LEDS	SIZE	M. CARTON
DBLSR12C	4 Spot / 2 Flood	60	6	12"	6
DBLSR22C	10 Spot / 2 Flood	120	12	22"	6
DBLSR32C	14 Spot / 4 Flood	180	18	32"	4
DBLSR42C	20 Spot / 4 Flood	240	24	42"	4





Side View Contact Us (877) 787 - 0101

Spot / Flood Lighting Pattern Single Row Bars

21.37in / 543mm





20.5"

31.37in / 797mm




51"

41.37in / 1051mm








- Combination Spot / Flood Lighting Pattern
- IP 67 Element Rating
- High Output 3 Watt OSRAM LED's
- White Extruded Aluminum Chassis















MODEL	LED DESCRIPTION	WATTS	LEDS	SIZE	M. CARTON
DBSRX9F-M	Flood	3	6	9"	12
DBSRX20.5F-M	Flood	3	15	20.5"	6
DBSRX51C-M	Combo Spot/Flood	3	39	51"	4



MARINE LIGHTS

DBSM4F-M

4" LED Flood Light

- IP67 Element Rating High Output CREE LED's
- 316 grade Stainless Steel bracket
 Shockproof Electronics 10v-30v DC Operating Voltage
- Shatterproof Polycarbonate Lens
- 12 Watts Harness not Included

















MODEL

DESCRIPTION

SOLD AS

LEDS

SIZE

M. CARTON

DBSM4F-M

Flood Surface Mount

Single

4"

18

DBLB8F-M 8" LED Flood Light



- IP67 Element Rating High Output CREE LED's
- 316 grade stainless steel screws on bezel and mounting hardware • Shockproof Electronics
- 10v-30v DC Operating Voltage
- 36 Watts Harness not Included







NATT LEDS





MODEL

DESCRIPTION

SOLD AS

LEDS

SIZE

M. CARTON

DBLB8F-M

Flood Mount

Single

12

DB LINK

8"

6

DBSR6F-M 6" Single Row LED Light

- IP67 Element Rating High Output LED's
- 316 grade stainless steel screws on mounting hardware
- Shockproof Electronics
 10v-30v DC Operating Voltage
- 18 Watts Harness not Included















MODEL

DESCRIPTION

SOLD AS

LEDS

SIZE

M. CARTON

DBSR6F-M

Flood Mount

Single

6"

20

Contact Us (877) 787 - 0101



LE.D. SURFACE MOUNT FLOOD LIGHT

MULTIPLE APPLICATIONS











WHITE



RED



GREEN



AMBER



BLUE









Surface Base Mount

Tubular Base Mount







- High Power Led Flood Light
- Flat Surface/Tube Mount Bases Included
- Ip67 Element Rating
- 3 High Output Cree LEDs
- Polycarbonate Lens

- Shock Proof Electronics
- 10V-30V Dc Operating Voltage
- 30,000 Hours Avg Lifetime
- Shatter Proof Polycarbonate Lens
- Harness Not Included

MODEL	COLOR	DESCRIPTION	SOLD AS	LEDS	M. CARTON
DBSM15BL1	Blue	Flood Mount	Single	3 x 5 watts	20
DBSM15W1	White	Flood Mount	Single	3 x 5 watts	20
DBSM9A1	Amber	Flood Mount	Single	3 x 3 watts	20
DBSM9G1	Green	Flood Mount	Single	3 x 3 watts	20
DBSM9R1	Red	Flood Mount	Single	3 x 3 watts	20
DBSM15BL2	Blue	Flood Mount	Pair	3 x 5 watts	16
DBSM15W2	White	Flood Mount	Pair	3 x 5 watts	16
DBSM9A2	Amber	Flood Mount	Pair	3 x 3 watts	16
DBSM9R2	Red	Flood Mount	Pair	3 x 3 watts	16
DBSM9G2	Green	Flood Mount	Pair	3 x 3 watts	16





- 3" Driving Light
- 20 Watt Output
- Element Rating IP67
- 4-5W High Power CREE LEDs
- Die-cast Aluminum Housing
- Polycarbonated Lens
- Stainless Steel Mounting Brackets



4.13 in / 105mm

















DBSM3.0S-K

MODEL

DESCRIPTION

SOLD IN

LEDS

SIZE

M. CARTON

DBSM3.0S-K

3" Diameter Spot

Pairs

4

3"

8





- 3.5" Driving Light
- 18 Watt Output
- Element Rating IP67
- 6-3W High Power LEDs
- Die-cast Aluminum Housing
- Polycarbonated Lens
- Stainless Steel Mounting Brackets



2.28 in / 57.83mm

















DBSM3.5S-K

MODEL

DESCRIPTION

SOLD IN

LEDS

SIZE

M. CARTON

DBSM3.5S-K

3.5" Diameter Spot

Pairs

6


3.5"

Contact Us (877) 787 - 0101




WORK LIGHTS









60 Watt output

Operating Voltage: 12-24V DC

■ Element Rating: IP 67

• 6 - 10w High Power CREE LEDS

Current 12V/3.67A, 24V/1.83A

■ Body Color: Black

• 6000K Color Temperature

Die-cast aluminum housing

Polycarbonate Lens

Stainless Steel Mounting Bracket

Secondary outer light ring













DBSM7D

7" Round Driving Light

in /177.8mm

MODELDESCRIPTIONSOLD ASLEDSSIZEM. CARTONDBSM7D7" Diameter SpotSingle67"8





• 60 Watt output

Operating Voltage: 9-80V DC

• Luminous Flux: 4080 lm

■ Element Rating: IP 67

Current 4A/12V, 2A/24V

■ Body Color: Black

■ 6500K Color Temperature

Die-cast aluminum housing

■ Polycarbonate Lens

Stainless Steel Mounting Bracket









DBSM7C

7" Round Combination Driving Light

MODELDESCRIPTIONSOLD ASLEDSSIZEM. CARTONDBSM7D7" Diameter ComboSingle127"8














MODELDESCRIPTIONSOLD INLEDSSIZEM. CARTONDB425W4" Driving LightPairs14"12





4" Driving light
25 watt output
Element Rating IP67
1-25W Cree LED

Pair


3.34 in / 85mm

Die-cast Aluminum Housing

Stainless Steel Mounting Brackets

3.14 in / 80mm

3.77 in / 96mm



- Element Rating IP67
- 8-3W High Power LED's

4.33 in / 110mm

0 0

0 0

- Die-cast Aluminum Housing
- Stainless Steel Mounting Brackets
- Pair

5.03 in /128mm











MODELDESCRIPTIONSOLD INLEDSSIZEM. CARTONDBSW24F5" Square Driving LightPairs85"8





1.77 in / 45mm



* Images displayed are for illustration purposes only and may differ from actual photos



4" Flush Mount Brake/Reverse Lights

















Perfect for: Custom Rear Bumpers with flush brake and reverse light function / Trailer brake lights with reverse light function / Custom racks on-pick ups / Back up brake lights for UTV'S and ATV's / Adding extra lighting for reverse lights on RV's / Dual trigger Wiring

DBFM4K-BL

4" Flush Mount Reverse Lights

MODELDESCRIPTIONSOLD INLEDSSIZEM. CARTONDBFM4K-BLFlush Mount Reverse LightPairs44"18









RGB SERIES

- Controls multi-color accent lighting

- Controls flash patterns

- Music Beat Mode

- Bluetooth compatibility







M. CARTON: 20

8 Output Bluetooth RGB Control Module

Maximum Total Output of 30 Watts



M. CARTON: 20

RGBC-4RF 4 Output RF Wireless RGB **Control Module**

Maximum Total Output of 30 Watts





M. CARTON: 250

Dual Output RGB Controller

With 28 Key RF Wireless Remote Control









RGB SERIES



3 WATT LFDS

Sold: in Pairs

4" RGB Driving **Work Lights**



Must purchase the RGBC-8 / RGBC -4RF / RGBC -2RF Control Module to use RGB functions. (Sold separately.)













Driving LED Work Light / 4 x 3 Watt CREE High Power LEDS / 12 Watts total output / 6000K Color Temperature 1080 Lumens / IP67 Element Rating / Operating Voltage: 10- 30 VDC / Working Temperature: -40~65 degree Celsius / 65,000 + Hours Lifespan / Die-cast aluminum extrusion / Shock Proof Electronics / Shatter Proof Protective Polycarbonate Lens / Heavy duty swivel track brackets / High Output reflective LED lens / Harness and RGB Harness Sold Separately

DBSM4D-K-RGB 4" RGB DRIVING WORK LIGHTS

MODEL	DESCRIPTION	SOLD IN	LEDS	SIZE	M. CARTON
DBSM4D-K-RGB	4" RGB Work Lights	Pairs	4	1.5" x 2.8"	10



RGB Surface Mount LED Accent Lights



















Tubular Base Mount














Must purchase the RGBC-8 / RGBC -4RF / RGBC -2RF Control Module to use RGB functions. (Sold separately.)



4 X RGB SURFACE MOUNT LED ACCENT LIGHTS

Accent Surface Light Pattern / (4) 3 - 0.5 Watt High Power LEDS / 6 Watts total output / Operating Voltage: 10- 30 VDC 30,000 Hours AVG Lifespan / Die-cast aluminum extrusion / Shock Proof Electronics / Polycarbonate Lens / Flat Surface and Tube Mounting Bases / Easy to hook up / RGBC-8 Control Sold Separately

MODEL	DESCRIPTION	SOLD IN	LEDS	SIZE	M. CARTON
DBSMRGB-4	Spot Surface Mount	4 Pieces	3	4"	12



80

96

100

50"

52"

4

144

150

Combo Spot/Flood

Combo Spot/Flood

DBLB50RGB

DBLB52RGB

DBRGBH10 10' RGB CONTROLLER EXTENSION HARNESS

MODEL

DESCRIPTION

M. CARTON

DBRGBH10

Extension Harness

100



DBRGBH3

3' RGB CONTROLLER EXTENSION HARNESS

MODEL

DESCRIPTION

M. CARTON

DBRGBH3

Extension Harness

250



DBRGBH1

RGB CONTROLLER HARD WIRE HARNESS

MODEL

DESCRIPTION

M. CARTON

DBRGBH1

Hard Wire Harness

1000







4" Lens Cover

6" Lens Cover

8" Lens Cover

LED Light Lens Covers

MODEL	DESCRIPTION	SOLD AS	COLOR	M. CARTON
DBLC8Y	8" Lens cover	Single	Yellow	96
DBLC8B	8" Lens cover	Single	Black	96
DBLC8G	8" Lens cover	Single	Green	96
DBLC8R	8" Lens cover	Single	Red	96
DBLC8BL	8" Lens cover	Single	Blue	96
DBLC8C	8" Lens cover	Single	Clear	96
DBLC6Y	6" Lens cover	Single	Yellow	120
DBLC6B	6" Lens cover	Single	Black	120
DBLC6G	6" Lens cover	Single	Green	120
DBLC6R	6" Lens cover	Single	Red	120
DBLC6BL	6" Lens cover	Single	Blue	120
DBLC6C	6" Lens cover	Single	Clear	120
DBLC4Y	4" Lens cover	Pair	Yellow	150
DBLC4B	4" Lens cover	Pair	Black	150
DBLC4G	4" Lens cover	Pair	Green	150
DBLC4R	4" Lens cover	Pair	Red	150
DBLC4BL	4" Lens cover	Pair	Blue	150
DBLC4C	4" Lens cover	Pair	Clear	150

LELD. LIGHT LENS COVERS

LED LENS FIT CHART

MODEL	Amount Required
DBSM4S-K	1-DBLC4
DBSM4F-K	1-DBLC4
DBLB8C-K	1- DBLC6
DBLB8C	1- DBLC6
DBLB8S	1- DBLC6
DBLB8F	1- DBLC6
DBLB14C	2- DBLC6
DBLB22C	2- DBLC6 + 1- DBLC8
DBLB32C	5- DBLC6
DBLB42C	5- DBLC8
DBLB50C	6- DBLC8







LED Bar Connection Harnesses

The Lighting Solutions wiring harnesses are designed to connect a single or dual LED light system to your 12V power supply. They feature an inline fuse holder, a pre wired 12Volt relay, and a push button on-off switch. The harnesses are compatible with any of the surface mount or dual row LED bars.

MODEL	DESCRIPTION	M. CARTON
DBLHD2	Single Harness	25
DBLHD1	Single Harness	25
DBLH1-Y	Splitter Harness	100

Harness / Lightbar Compatibility Reference on **pg. 15**















Universal Mounting Brackets

Our Lighting Solutions Adjustable mounting brackets are an excellent way to mount single or dual row off road LED light bars to your roll cage or your vehicle's tubular mounting locations. We offer simple solutions for mounting onto brush guard bumpers, roof racks, and Roll cages. These Universal bracketing systems can be used on your car, boat or recreational vehicles.

MODEL	DESCRIPTION	M. CARTON
DBB10M	1" O Mount Pair	50
DBB1.250M	1.25" O Mount Pair	50
DBB1.50M	1.5" O Mount Pair	50
DBB1.750M	1.75" O Mount Pair	50
DBB20M	2" O Mount Pair	50
DBB2.50M	2.5" O Mount Pair	50
DBB30M	3" O Mount Pair	50
DBB1.5PM	Oblique pillars Bar Light Mount 1.5"	50
DBB1.75PM	Oblique pillars Bar Light Mount 1.75"	50
DBB2OPM	Oblique pillars Bar Light Mount 2''	50
DBB2.5PM	Oblique pillars Bar Light Mount 2.5"	50
DBB3PM	Oblique pillars Bar Light Mount 3''	50
DBB1.5HM	Horizontal Bar Light Mount 1.5"	50
DBB1.75HM	Horizontal Bar Light Mount 1.75"	50
DBB2.5HM	Horizontal Bar Light Mount 2.5"	50
DBB3HM	Horizontal Bar Light Mount 3"	50
DBB1.5VM	Vertical Bar Light Mount 1.5"	50
DBB1.75VM	Vertical Bar Light Mount 1.75"	50
DBB2.5VM	Vertical Bar Light Mount 2.5"	50
DBB3VM	Vertical Bar Light Mount 3"	50



* Images displayed are for illustration purposes only and may differ from actual photos

Jeep Windshield Brackets

Our jeep mount kits are specifically designed to fit the jeep wrangler JK series. These brackets will fit a 50" LED light bar (not Included) over the windshield of your jeep JK using the existing mounting points on the A-pillars. No drilling or cutting required. Our brackets are made from heavy duty, high carbon, stamped steel material and come with a weather resistant black powder coat finish to match your new light bar.













MODEL	DESCRIPTION	SOLD IN
DBJKWB50S	07-13 Jeep "JK"Windshield Bracket 50"	Pairs
DBJKWB52S	07-13 Jeep "JK"Windshield Bracket 52"	Pairs
DBJKDWB52DS	07-13 Jeep "JK" Dual Windshield Bracket 52"	Pairs

Due to the variable sizes in different light bar brands, some modification may be required to fit your light bar.



Precisely made for the jeep wrangler TJ series. This bracket will fit a 50" LED light bar (not Included) over the windshield of your jeep TJ using the existing mounting points on the A-pillars. No drilling or cutting required. Our brackets are made from heavy duty, high carbon, stamped steel material and come with a weather resistant black powder coat finish to match your new light bar.



Jeep Hood Mounts

Designed to fit with your JK series jeep wrangler, our light bar hood mount allows you to mount 12" or 22" Single row LED light bars (not included) to your hood. No drilling or cutting your hood in any way. Our brackets are made from heavy duty, high carbon, stamped steel material and come with a weather resistant black powder coat finish to match your new light bar. *Due to the mounting location of this bracket when used on 2013 and up jeep wranglers, interruption of the spray pattern from the windshield washer may occur.





MODEL	DESCRIPTION	SOLD IN
DBJKSR22HM	Jeep "JK" 22" Hood Mount	Pairs
DBJKSR12HM	Jeep "JK" 12" Hood Mount	Pairs

Due to the variable sizes in different light bar brands, some modification may be required to fit your light bar.



* Images displayed are for illustration purposes only and may differ from actual photos

Our Pillar brackets allow you to install one or two 4" LED surface mounts (not included) onto your JK Jeep Wrangler, connecting to each of your a-pillars. These brackets use existing mounting bolts so no drilling or cutting is required. They are made from high carbon stamped steel material and come with a weather resistant black powder coat finish *This kit is for jeep jk 07-15 only























DBJDM





MODEL	DESCRIPTION	SOLD IN
DBJKSP	07-14 Jeep JK Single Pillar 4"	Pairs
DBJKDP	07-14 Jeep JK Double Pillar 4"	Pairs
DBHPM	Jeep Hood Pillar Mount 4" Jeep	Pairs
DBJDM	Dual Pillar Mounts 4"	Pairs

Due to the variable sizes in different light bar brands, some modification may be required to fit your light bar.







Universal Surface Mount **DBUSM**

Ready to add LED bars to your ride. Our universal surface mount brackets easily bolt on to any one of our light bars. They feature full tilt adjustability that put the light output right where you need it. These brackets are made from a heavy duty, high carbon, stamped steel material and come with a weather resistant black powder coat finish to match your new light bar.

MODEL DESCRIPTION SOLD IN

DBUSM Universal Surface Bar Mount Pairs





Universal Truck Mount DBUTM

Add flare to your truck with our universal roof mount LED bar brackets. Allowing you to mount our 50" LED light bar to the roof of your truck. They are constructed from high carbon stamped steel material and come with weather resistant black powder coat finish. Minor modification may be required to fit your application.

MODEL DESCRIPTION SOLD IN

DBUTM Universal Roof Bar Mount Pairs

LIGHTING SOLUTIONS



Universal Bumper Mount



DB Lighting Solutions has engineered a universal bumper LED mount, allowing you to add complementary LED lighting to any vehicle. They are constructed from high carbon stamped steel material and come with weather resistant black powder coat finish. They are designed to be easily installed with a few simple tools

MODEL DESCRIPTION

DBUBM Universal Bumper Mount Bracket




Universal X Bracket



MODEL DESCRIPTION

DBXHB Universal X Horizontal Bracket





Our new X-Mount brackets gives you an inventive way to mount your LED lights. X-Mount brackets are constructed to fit a diameter tubing of 1.25 – 2 inches. Each are made from cast aluminum alloy and feature weather resistant black powder coat finish. X-mounts sold in pairs



Weather Resistant Black Power Coating • High Carbon Stamped Steel Material • Heavy Duty Bracket • Easy Install

MODEL	DESCRIPTION
DBLB8B	8" LED Light Bar Bracket
DBLB14B	14" LED Light Bar Bracket
DBLB22B	22" LED Light Bar Bracket
DBLB32B	32" LED Light Bar Bracket

Contact Us (877) 787 - 0101

Give your vehicle a unique look with our Universal U brackets. These brackets can be used on multiple flat surfaces; such as your headache rack, bumper, or truck bed. They are constructed from high carbon stamped steel material and come with weather resistant black powder coat finish. They are designed to be easily installed with a few simple tools



* Images displayed are for illustration purposes only and may differ from actual photos





DBUHM

Our new Universal ATV handlebar brackets allow you to use LED light bars as headlights. Connecting this bracket to ATVs handlebar permits the light bars to move in the direction your handlebar moves, projecting the light where needed. Our brackets are made from heavy duty, high carbon, stamped steel material and come with a weather resistant black powder coat finish to withstand the rigors of outdoor use.



MODEL DESCRIPTION

DBUHM ATV Universal Handle Bar Mount

DBATVM ATV Handle Bar Mount



Side Mount Light Bar Brackets

• LED light bar bracket mounting hardware







DESCRIPTION

DBLBMH

Side Mount Light Bar Brackets

100





Light Bar Rubber Wind Isolators

• Snap in between cooling fins to reduce vibration noise when driving at higher speeds





MODEL

DESCRIPTION

DBLFP1

Rubber Wind Isolators

License Plate Light Bar Mount

DB Link's Universal LED Light License Plate Mount makes it possible for you to securely mount any type of LED light bar to any vehicle with a direct replacement license plate mount.



MODEL

DESCRIPTION

DBULPM Universal Light Bar License Plate Mount

M. CARTON

20

SOLU LIGH


Tamper Proof Light Bar Bolts

Adds Security to your Light bars • Dome Shaped Bolt Head Eliminates

Tampering • 4 Tamper proof bolts • 1 Fastening Tool



MODEL	DESCRIPTION	M. CARTON
DBLBTPK	Light Bar Bolts	200



Illuminated Push Button Switch

LED • 19mm • 6 Amps @ 12V • 1.5" Length x 3/4" Diameter • Black Alluminum

MODEL	COLOR	DESCRIPTION	M. CARTON
DBLB19M-LEDR	Red	Momentary	240
DBLB19M-LEDB	Blue	Momentary	240
DBLB19M-LEDW	White	Momentary	240



MODEL	COLOR	DESCRIPTION	M. CARTON
DBLB19F-LEDR	Red	ON/OFF	250
DBLB19F-LEDB	Blue	ON/OFF	250
DBLB19F-LEDW	White	ON/OFF	250



Illuminated Rocker Switch

IP65 • ON/OFF Function • 6A 250V AC • Illuminated • Dust Proof

MODELDESCRIPTIONM. CARTONDBRS1Rocker Switch100







Universal Aluminum 1" Spacer for **LED Light Bars**

MODEL DESCRIPTION M. CARTON

DBLBS1 1" Universal Aluminum Spacer 150









LED Strip Roll

• Super Bright LED • Easy Installation • 12 volt Self-Adhesive backing • 5 Meters / 16 ft.

MODEL	COLOR	LED AMOUNT	LED TYPE	IP RATING	M. CARTON
DBLEDR-W300	White	300	5050	66	50
DBLEDR-R300	Red	300	5050	66	50
DBLEDR-B300	Blue	300	5050	66	50
DBLEDR-W150	White	150	5050	66	50
DBLEDR-R150	Red	150	5050	66	50
DBLEDR-B150	Blue	150	5050	66	50

* Images displayed are for illustration purposes only and may differ from actual photos






DBLRGBC LED Roll Remote Control

- Switchable LED colors Switchable LED patterns Adjustable pattern speed Adjustable Brightness
- Long Range Radio Frequency Wireless Remote

MODEL	DESCRIPTION	UPC	M. CARTON
DBLRGBC	RGB Controller	81021902179	600





LED Roll Quick Connect 10 pieces per bag

MODEL	DESCRIPTION	M. CARTON
DBLRGBQC	RGB Connect	50
DBLSRQC	Single Color Connect	50



DBLSM-1 Universal LED Strobe Light Module

Strobe light module with dual output and 7 selectable flash patterns. Double, quad, quint and mega alternating, double simultaneous, quad simultaneous and random.

Voltage: 12 volts

Outputs: 2

Amperage Output: 3 Amps per Output

Maximum Amperage: 6 Amps Total Across both Outputs Output Polarity: 12V Positive

M. CARTON - 200







Under Car Lights

Lighting solutions LED Undercar Kit includes 4 multi-color waterproof LED strips designed to illuminate your vehicles undercarriage with a high output glowing light. Each strip includes an assortment of multi-colored LEDs that can be configured to endless color combinations or flashing patterns via a wireless remote control. Each strip is made out of flexible rubber, so mounting locations are limitless. They are designed to withstand the rigorous elements when mounted under your vehicle.

MODEL	COLOR	LED AMOUNT	LED TYPE	IP RATING	M. CARTON
DBLCK	Multi	252	5050	67	10





Motorcycle LED Accent Light Kit

Easy to Install LED Motorcycle Engine Lighting Kit Includes waterproof flexible LED strips. Kit comes with everything needed for a clean, professional installation of custom motorcycle lighting. Includes IP67 weather proof LED Strip construction with quick connector, connector hub, LED controller with in-line fuse, Compact sealed RF control module with 10 way splitter for easy wiring and 2 compact key chain remotes included. Strips include high strength double sided tape for easy mounting. Applications includes engine lighting for Harley Davidsons, choppers and cruisers, fairing lighting on sport bikes and street bikes, and ATV or UTV body and engine lighting.



				ole in 6 and 10 Pi			ED IES
	MODEL	COLOR		STRIPS	M. C	ARTON	
LIMITED OU ANTITIES	DBM6MC	Red, Green, B	llue	6	Ī	500	
LIMITED	DBM10MC	Red, Green, B	lue	10	Į	500	








LED Module Strips Packaged: One 10 Module Strip per bag

• IP65 Water Resistant design • High output LED • Easy Mounting • Low power consumption • 10 Modules per strip Recommended for use in store displays, custom car audio installations, marine accent lighting, mood lighting for rooms, fish aquariums, or anywhere you need custom lighting. Not designed to be submerged under water.

MODEL	COLOR	LED AMOUNT	SIZE	LUMENS	M. CARTON
DBM10W-3L50	white	3 per module	5050	22	100
DBM10B-3L50	blue	3 per module	5050	22	100



• Marine accent lighting applications



• Car Audio accent lighting applications




* Images displayed are for illustration purposes only and may differ from actual photos



LED Spot Module Strips Packaged: 10 Pieces per Color

• High output LEDs • Easy Mounting • Low power consumption • Low power consumption • 5 LEDs per module Recommended for use in custom car audio installations, marine accent lighting, mood lighting for rooms, fish aquariums, store displays, or anywhere you need custom lighting. Not designed to be submerged under water.

MODEL	COLOR	LED AMOUNT	M. CARTON
DBM1W	white	5 per module	100
DBM1B	blue	5 per module	100
DBM1R	red	5 per module	100
DBM1P	pink	5 per module	100
DBM1G	green	5 per module	100



LED Flood Module Strips Packaged: 10 Pieces per Color

• High output LEDs • Easy Mounting • Low power consumption • Low power consumption • 5 LEDs per module Recommended for use in custom car audio installations, marine accent lighting, mood lighting for rooms, fish aquariums, store displays, or anywhere you need custom lighting. Not designed to be submerged under water.

MODEL	COLOR	LED AMOUNT	M. CARTON
DBM2W	white	5 per module	100
DBM2B	blue	5 per module	100
DBM2R	red	5 per module	100





Drill Bit Included

LED Ghost light Logo

23 Auto Manufacturer Logos Included

Designed to turn heads and be the life of the party. WOW them all with LED ghost lights. Mount two LED ghost lights in to your vehicle doors that project your favorite car brand logos via high resolution LEDs on to the pavement.

MODEL	DESCRIPTION	M. CARTON
DBLGL50	LED Ghost light Logo	100





Jeep, Ford, Toyota, Dodge, GMC, Chevrolet are registered trademarks, logos and trade names that are mentioned in this catalog are the property of their respective owners. DB Research L.L.P. has no affiliation with these companies and this catalog is not endorsed by them.

LEDCAT20A

81153603 162

DB RESEARCH

302 Hanmore Industrial Parkway/Harlingen, TX 78550 Toll Free: (877) 787-0101 Fax: (956) 421-4513 sales@dbdrive.net Printed in China

Model # LEDCAT20A